

CAN LINERS



superior strength, superior quality

ONE SOURCE. THE SOLUTION.



Institutional Products

DARTBUSTER



- produced from Metallocene resin
- the strength of high density without zippering
- ten-times the dart strength of regular low density resins
- tear strength and elasticity of hexene
- coreless rolls
- Hex-seal bottom helps contain leakage to a single quadrant

Color Codes:

(C) clear (B) black

ITEM CODE	SIZE	MIC	MIL	GAL	CASE PACK	CASE WT	CUBE	TI/HI
303610B, C	30x36	10	.39	20-30	500	15.1	0.59	8x9
303613B, C	30x36	13	.51	20-30	250	9.6	0.45	8x12
303618B, C	30x36	18	.71	20-30	250	13.5	0.59	8x9
333910B, C	33x39	10	.39	33	250	9.2	0.45	8x12
333913B, C	33x39	13	.51	33	250	11.3	0.45	8x12
333916B, C	33x39	16	.63	33	250	14.2	0.59	8x9
333918B, C	33x39	18	.71	33	200	12.9	0.59	8x9
404610C	40x46	10	.39	40-50	250	13.1	0.59	8x9
404613B, C	40x46	13	.51	40-50	250	16.1	0.59	9x9
404616B, C	40x46	16	.63	40-50	250	19.9	0.76	8x7
404618BL, CL	40x46	18	.71	40-50	125	11.4	0.45	8x12
365810B	36x58	10	.39	55	200	11.7	0.45	8x12
365813B, C	36x58	13	.51	55	200	14.7	0.59	8x9
365818B, C	36x58	18	.71	55	200	20.4	0.76	8x7
434713C	43x47	13	.51	56	200	14.3	0.59	8x9
434716C	43x47	16	.63	56	200	17.6	0.76	8x7
434718B, C	43x47	18	.71	56	200	19.8	0.76	8x7
385813B, C	38x58	13	.51	60	200	15.5	0.59	8x9
385816B, C	38x58	16	.63	60	200	19.1	0.76	8x9
385818B, C	38x58	18	.71	60	200	21.5	0.76	8x7

HIGH DENSITY



- manufactured with high grade HDPE resins
- superior strength and performance
- Hex-seal construction distributes the load weight, reduces complete bag failure and the cleanup that goes with it.

Color Codes:

(N) natural (B) black

ITEM CODE	SIZE	MIC	MIL	GAL	CASE PACK	CASE WT	CUBE	TI/HI
HD20226N	20x22	06	.24	7	2000	15.2	0.59	8x9
HD24246N	24x24	06	.24	7-10	1000	9.6	0.45	8x12
HD24246B	24x24	06	.24	7-10	1000	9.6	0.45	8x12
HD24248N	24x24	08	.32	7-10	1000	13.0	0.59	8x9
HD24276N	24x27	06	.24	15	1000	11.5	0.59	8x9
HD24336N	24x33	06	.24	12-16	1000	13.2	0.59	8x9
HD24336B	24x33	06	.24	12-16	1000	13.2	0.59	8x9
HD24338N	24x33	08	.32	12-16	1000	17.6	0.76	8x7
HD24338B	24x33	08	.32	12-16	1000	17.6	0.76	8x7
HD303713N	30x37	13	.51	20-30	250	10.2	0.45	8x12
HD303710N	30x37	10	.39	20-30	500	15.5	0.59	8x9
HD334013N	33x40	13	.51	33	250	12.3	0.59	8x9
HD334016N	33x40	16	.63	33	250	15.0	0.59	8x9
HD334011N	33x40	11	.43	33	500	20.1	0.76	8x7
HD366014N	36x60	14	.55	55	200	16.9	0.59	8x9
HD366017N	36x60	17	.67	55	200	20.5	0.76	8x7
HD386014N	38x60	14	.55	60	200	17.9	0.76	8x7
HD386017N	38x60	17	.67	60	200	21.6	0.76	8x7
HD386017B	38x60	17	.67	60	200	21.6	0.76	8x7
HD404812N	40x48	12	.47	40-50	250	16.1	0.59	8x9
HD404814N	40x48	14	.55	40-50	250	18.8	0.76	8x7
HD404816N	40x48	16	.63	40-50	250	21.4	0.76	8x7
HD404822N	40x48	22	.9	40-50	150	17.9	0.76	8x7
HD404817N	40x48	17	.67	40-50	250	22.8	0.92	8x6
HD434816N	43x48	16	.63	56	200	18.5	0.92	8x6
HD434817N	43x48	17	.67	56	200	19.6	0.92	8x6
HD386022N	38x60	22	.9	60	150	21.0	0.76	8x7

For minimum order quantities, costs and terms contact your representative. Custom sizes available.



- blend of LLDPE and LD resins provide extra strength, elasticity and superior performance at lower mil weights.
- Hex-seal bottom provides the load bearing strength to resist punctures and restrict leaks.
- coreless roll

Color Codes:
(C) clear (G) gray (W) white

ELEPHANT

ITEM CODE	SIZE	MIC	MIL	GAL	CASE PACK	CASE WT	CUBE	T/HI
242422G	24x24	22	0.9	7-10	500	17.4	0.59	8x9
243222G	24x32	22	0.9	16	500	23.0	0.76	8x7
303622C, G	30x36	22	0.9	20-30	250	16.4	0.59	8x9
303630G	30x36	30	1.2	20-30	250	21.7	0.76	8x7
303620W	30x36	20	0.8	20-30	200	13.0	0.45	8x12
334830G	33x48	30	1.2	30-40	100	13.6	0.59	8x9
333922C, G	33x39	22	0.9	33	250	19.4	0.76	8x7
333930C, G	33x39	30	1.2	33	100	10.6	0.45	8x12
333935G	33x39	35	1.4	33	100	12.6	0.59	8x9
333940G	33x39	40	1.6	33	100	14.1	0.59	8x9
333948G	33x39	48	1.9	33	100	17.0	0.76	8x7
333920W	33x39	20	0.8	33	150	11.7	0.45	8x12
404622C, G	40x46	22	0.9	40-50	100	11.2	0.45	8x12
404625G	40x46	25	1.0	40-50	100	12.8	0.59	8x9
404630C, G	40x46	30	1.2	40-50	100	15.1	0.59	8x9
404635G	40x46	35	1.4	40-50	100	17.6	0.76	8x7
404640G	40x46	40	1.6	40-50	100	19.8	0.76	8x7
404648G	40x46	48	1.9	40-50	100	24.0	0.92	8x6
404620W	40x46	20	0.8	40-50	100	11.2	0.45	8x12
365822G	36x58	22	0.9	55	100	12.9	0.59	8x9
365825G	36x58	25	1.0	55	100	14.3	0.59	8x9
365830C, G	36x58	30	1.2	55	100	17.0	0.59	8x9
365820W	36x58	20	0.8	55	100	12.6	0.45	8x12
434722C, G	43x47	22	0.9	56	100	12.6	0.59	8x9
434730C, G	43x47	30	1.2	56	100	16.5	0.59	8x9
434720W	43x47	20	0.8	56	100	12.3	0.45	8x12
434740G	43x47	40	1.6	56	100	21.7	0.76	8x7
434748G	43x47	48	1.9	56	100	26.1	0.92	8x6
465030G	46x50	30	1.2	60	100	18.7	0.76	8x7
514822G	51x48	22	0.9	60	100	15.0	0.59	8x9
385822C, G, W	38x58	22	0.9	60	100	13.6	0.59	8x9
385830C, G	38x58	30	1.2	60	100	18.0	0.76	8x7
385835G	38x58	35	1.4	60	100	20.9	0.76	8x7
385840C, G	38x58	40	1.6	60	100	23.7	0.92	8x6
385848C, G	38x58	48	1.9	60	100	28.4	0.92	8x6
334830G	33x48	30	1.2	38	100	12.5	0.48	8x9

For minimum order quantities, costs and terms contact your representative. Custom sizes available.

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
385813()	38x58	13 0.51	50 lbs	C,B	200
385816()	38x58	16 0.63	60 lbs	C,B	200
385818()	38x58	18 0.71	75 lbs	C,B	200
385822()	38x58	22 0.9	75 lbs	C,G	100
385830()	38x58	30 1.2	85 lbs	C,G	100
385835()	38x58	35 1.4	90 lbs	G	100
385840()	38x58	40 1.6	100 lbs	C,G	100
385848()	38x58	48 1.9	100+ lbs	C,G	100
465030()	46x50	30 1.2	85 lbs	G	100
514822()	51x48	22 0.9	75 lbs	G	100
MGB60	38x58	33 1.3	100+ lbs	Dk Green	100



60 Gallon Cans

HIGH DENSITY					
HD386014()	38x60	14 0.55	60 lbs	N	200
HD386017()	38x60	17 0.67	70 lbs	N,B	200
HD386022()	38x60	22 0.9	70 lbs	N	150

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
434713()	43x47	13 0.51	50 lbs	C	200
434716()	43x47	16 0.63	60 lbs	C	200
434718()	43x47	18 0.71	75 lbs	C	200
434720()	43x47	20 0.8	75 lbs	W	100
434722()	43x47	22 0.9	75 lbs	C,G	100
434730()	43x47	30 1.2	85 lbs	C,G	100
434740()	43x47	40 1.6	100 lbs	G	100
434748()	43x47	48 1.9	100 lbs	G	100



56 Gallon Cans

HIGH DENSITY					
HD434816()	43x48	16 0.63	61 lbs	N	200
HD434817()	43x48	17 0.67	70 lbs	B	200

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
365810()	36x58	10 0.39	35 lbs	B	200
365813()	36x58	13 0.51	50 lbs	C,B	200
365818()	36x58	18 0.71	75 lbs	C,B	200
365820()	36x58	20 0.8	75 lbs	W	100
365822()	36x58	22 0.9	75 lbs	C,G	100
365825()	36x58	25 1.0	80 lbs	G	100
365830()	36x58	30 1.2	85 lbs	G,C	100



55 Gallon Cans

HIGH DENSITY					
HD366014()	36x60	14 0.55	60 lbs	N	200
HD366017()	36x60	17 0.67	70 lbs	N	200

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
404610()	40x46	10 0.39	35 lbs	C	250
404613()	40x46	13 0.51	50 lbs	C,B	250
404616()	40x46	16 0.63	60 lbs	C,B	250
404618()	40x46	18 0.71	75 lbs	C,B	125
404620()	40x46	20 0.8	75 lbs	W	100
404622()	40x46	22 0.9	75 lbs	C,G	100
404625()	40x46	25 1.0	80 lbs	G	100
404630()	40x46	30 1.2	85 lbs	C,G	100
404635()	40x46	35 1.4	90 lbs	G	100
404640()	40x46	40 1.6	100 lbs	G	100
404648()	40x46	48 1.9	100+ lbs	G	100
334830()	33x48	30 1.2	85 lbs	G	100
MGB46	40x46	33 1.3	100+ lbs	Dk Green	100



40-50 Gallon Cans

HIGH DENSITY					
HD404812()	40x48	12 0.47	50 lbs	N	250
HD404814()	40x48	14 0.55	60 lbs	N	250
HD404816()	40x48	16 0.63	60 lbs	N	250
HD404817()	40x48	17 0.67	70 lbs	N	250
HD404822()	40x48	22 0.9	70 lbs	N	150


ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
333910()	33x39	10 0.39	35 lbs	C,B	250
333913()	33x39	13 0.51	50 lbs	C,B	250
333916()	33x39	16 0.63	60 lbs	C,B	250
333918()	33x39	18 0.71	75 lbs	C,B	200
333920()	33x39	20 0.8	75 lbs	W	150
333922()	33x39	22 0.9	75 lbs	C,G	250
333930()	33x39	30 1.2	85 lbs	C,G	100
333935()	33x39	35 1.4	90 lbs	G	100
333940()	33x39	40 1.6	100 lbs	G	100
333948()	33x39	48 1.9	100+ lbs	G	100
334830()	33x48	30 1.2	90 lbs	G	100
MGB39	33x39	33 1.3	100+ lbs	Dk Green	100



33 Gallon Cans

HIGH DENSITY					
HD334011()	33x40	11 0.43	40 lbs	N	500
HD334013()	33x40	13 0.51	50 lbs	N	250
HD334016()	33x40	16 0.63	60 lbs	N	250

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
303610()	30x36	10 0.39	35 lbs	C,B	500
303613()	30x36	13 0.51	50 lbs	C,B	250
303618()	30x36	18 0.71	75 lbs	C,B	250
303620()	30x36	20 0.8	75 lbs	W	200
303622()	30x36	22 0.9	75 lbs	C,G	250
303630()	33x48	30 1.2	85 lbs	G	250



20-30 Gallon Cans

HIGH DENSITY					
HD303710()	30x37	10 0.39	40 lbs	N	500
HD303713()	30x37	13 0.51	50 lbs	N	250

ITEM CODE (add color code)	SIZE INCHES	GAUGE MIC MIL	LOAD CAPACITY	COLOR CODE	CASE PACK
242422()	24x24	22 .9	50 lbs	G	500
243222()	24x32	22 .9	50 lbs	G	500



Under 20 Gallon Cans

HIGH DENSITY					
HD20226()	20x22	6 .24	20 lbs	C	2000
HD24246()	24x24	6 .24	20 lbs	C,B	1000
HD24248()	24x24	8 .32	30 lbs	C,B	1000
HD24276()	24x27	6 .24	20 lbs	C	1000
HD24336()	24x33	6 .24	20 lbs	B,N	1000
HD24338()	24x33	8 .32	30 lbs	B,N	1000

Color Codes:

C = Clear G = Gray B = Black W = White N = Natural

If you don't know your liner size, follow these simple guidelines:

TO MEASURE SQUARE CONTAINERS:

For liner width, measure around the outside top of container (the sum of all four sides) and divide by half. For liner length, use the height of the receptacle plus one-half of the diagonal bottom measurement plus three inches for overhang.



TO MEASURE ROUND CONTAINERS:

For liner width, measure outer circumference of container and divide by half. For liner length, use the container height plus one-half of the diameter of the container bottom, plus three inches for overhang.

